


Standard Roller Chain Attachment



(mm)

EK Chain No.	Attachment									Additional Weight g/Att.		
	A1,K1			A1,K1,SA1,SK1				D1,D3		A,SA	K,SK	D-1
	A	F	H1	A1	F1	O	B	Le	K			
EK 25	7.10	10.70	4.80	7.95	11.7	2.8	5.60	13.90	6.00	0.3	0.6	0.2
EK 35	9.50	14.30	6.40	9.50	14.7	2.8	7.90	21.60	9.52	0.8	1.6	0.8
EK 41	11.90	17.50	7.10	12.30	17.8	3.2	9.50	23.40	9.52	1.0	2.0	0.7
EK 40	12.70	18.00	7.90	12.70	17.6	3.6	9.60	25.80	9.52	2.0	4.0	1.0
EK 50	15.90	22.90	10.30	15.90	22.6	5.2	12.80	32.30	11.91	3.0	6.0	2.0
EK 60	19.00	27.70	11.90	18.30	26.4	5.2	16.10	40.00	14.27	7.0	14.0	3.0
EK 80	25.40	35.20	15.90	24.60	34.1	6.8	19.00	52.35	19.05	13.0	26.0	7.0
EK 100	31.80	44.40	19.80	31.70	43.4	8.7	25.40	64.00	23.83	26.0	52.0	12.0
EK 120	38.10	54.90	23.00	36.50	51.6	10.5	28.60	79.10	28.58	44.0	88.0	20.0
EK 140	44.50	61.50	28.60	44.50	61.9	12.7	34.90	88.80	33.32	71.0	142.0	30.0
EK 160	50.80	71.40	31.80	50.80	69.9	14.3	38.10	103.20	38.10	97.0	194.0	44.0

(mm)

EK Chain No.	Attachment									Additional Weight g/Att.	
	WA,WK			WSA,WSK		WA,WK,WSA,WSK				WA,WSA	WK,WSK
	A	F	H1	A1	F1	O	S	B			
EK 40	12.70	17.50	7.90	12.70	17.5	3.6	12.700	24.20		5.7	11.4
EK 50	15.90	22.60	10.30	15.90	22.6	5.2	15.875	30.20		12.4	24.8
EK 60	19.05	27.00	11.90	18.30	26.2	5.2	19.050	36.10		21.1	42.2
EK 80	25.40	35.30	15.90	24.60	34.1	6.8	25.400	48.00		49.6	99.2

NOTE:

- 1) Other chain dimensions than the above are identical to EK standard roller chain.
- 2) Dimensions shown above are identical to EK steel, stainless steel and plated chain.